

# Franke Coffee Machines. Evolution 2-Step



COFFEE  
SYSTEMS

The Espresso Specialists

# Evolution 2-Step: Facts & Figures.



Step 1 – Press an espresso button (single or double shots in regular or decaf)  
Step 2 – Press the Autosteam™ button to make foamed milk for cappuccinos and steamed milk for lattes

High output retail coffee locations are best served by the proven Franke Evolution 2-Step. Whether you need to steam large quantities of milk or produce high quality espresso shots time after time, the Evolution is the right choice.

With the Evolution 2-Step you maintain that café feel while being able to add consistency to the quality of your beverage.

- Fits most foodservice applications and has been picked by category leaders: QSR, bakery-café, natural markets, casual dining, family dining, cruise, hospitality, contract foodservice and specialty coffee
- Single-touch grinding and brewing
- Designed for easy maintenance
- Automatic cleaning and rinsing program
- Compact design delivers extreme profit-per-square inch of counter space
- Fully electronic control board with illuminated LCD
- Chip-card programming
- Up to 24 individually programmable products
- Easily customizable product labeling
- Height-adjustable coffee dispenser

	2-Step
Height (nsf)	31"
Width	13"
Depth	24"
Shipping Weight	135 lbs
Boiler	2.9 l
Cup Height - Adjustable	3 - 6"
Voltage	208 V
Wattage	4800 W
Recommended Circuit Rating	30 A

Franke espresso machines are UL approved to electrical safety and sanitation standard NSF 4.



Franke Coffee Systems  
North America, Inc.  
5601 1st Avenue South  
Seattle, WA 98108

Phone 206 784 9563 / 800 367 0235  
Fax 206 782 2535  
www.franke-cs.com